

UDC 681.511.4:664.1

## ANALYSIS OF TECHNOLOGICAL PROCESS EFFICIENCY OF SUGAR BEET CULTIVATION BASED ON SIMULATION METHOD

Volokha M. P.

Institute of biopower crops and sugar beet of NAAS, Ukraine.

Corresponding author: [volmp@i.ua](mailto:volmp@i.ua).

Article history: Received: March 2018. Received in the revised form: April 2018. Accepted: May 2018.

Bibl. 22, fig. 0, tabl. 0.

**Abstract.** The paper considers the technological process of sugar beets cultivation as a single object of modeling. The aim is to investigate the interrelation of separate technological operations and evaluate the technological efficiency of the beet cultivation. The study of technological processes based on the simulation allows us to investigate interconnections, to highlight technical and economic indicators, to evaluate the impact on profitability, to determine the directions of development and ways to improve the technical and technological basis of the beet production industry.

**Key words:** sugar beets, technological process, technical tool, simulation, pre-sowing tillage.

### Introduction

Sugar beet is a highly productive plant that allows receiving high profits while using an integrated approach to the technology of its cultivation. Although specific successes are achieved in the sugar beet cultivation in Ukraine, the constant task is set to increase the yield of sugar beet further, to significantly reduce losses during cultivation and, especially, during harvesting, to improve the technological qualities of raw materials surrendering to the factories.

Given the natural and climatic differences in sugar beet cultivation areas in Ukraine and based on the experience of agrarian countries, the cultivation of sugar beet should develop with high technical and technological reliability. The main priorities for development are high productivity (working width, working speed, etc.), multifunctionality one unit of soil cultivation and sowing operations, inter-row loosening and fertilization, single-phase harvesting of tops and root crops, etc.).

### Formulation of Problem

An essential aspect of the sugar beet cultivation technology is careful compliance with all regulatory requirements, namely: optimally-early and short deadlines; ensuring a required depth of seeding when placed on a sufficiently densified bed with a layer of lumps of loosened soil sprinkled; observance of set intervals between seeds. Essential prerequisites for the formation of highly

productive crops are: determining the timing of sowing sugar beet, soil temperature, soil physical properties, i.e., the soil ability to crumble without sticking to the working organs of agricultural machines. Also, it is necessary to take into account the climatic differences between the zones (sufficient, insufficient and unstable moisture) in Ukraine.

The process of growing sugar beet is a complex process and includes several components. The main ones are:

- tillage (spring and pre-sowing);
- soil fertilizing;
- sowing and formation of optimum standing density;
- the fight against weeds, pests, and diseases;
- harvesting with the least losses.

The purpose of tillage for sugar beet is to create favorable conditions for their cultivation. It requires water-air and nutrient soil regimes. All measures are directed to the creation of an arable and transitional layer to structure optimal for the cultivation of sugar beets.

Tillage is in close correlation with the specific soil-climatic conditions of the sugar beet growing area. It is necessary to decide on the choice of the technology of the main and pre-sowing tillage, taking into account the soil specification and weather conditions, technical possibilities, and the timing of sowing. But at the same time, it's important to achieve optimal soil condition for seed germination, growth, and development of sugar beet seeds.

Modern soil tillage tools allow preparing the soil for sugar beet sowing in 1-2 passages. When the soil is mature physically, the field for sowing sugar beet can be prepared in one pass. This is an important element of energy saving and a prerequisite for high-quality sowing. The main mistakes during presowing tillage are early start of work on damp soil; an excessive number of working passes because of separate operations are not combined in one combine, the high working speed of aggregates, deep pre-sowing loosening. One more mistake is pre-sowing tillage is carried out at a small angle to the direction of sowing.

The perfection of the working tools of machines is an indisputable factor of influence on the level of the field seeds germination. Working tools of agricultural machines are designed to perform the technological processes of presowing soil cultivation qualitatively, seeding in

the soil, depending on its mechanical composition, density, and humidity.

Based on the characteristics of sugar beet sowing mentioned above, it is necessary to find the optimal parameters of the working tools of cultivators and seeders. Improved working tools can facilitate the reception of uniformly distributed seeds in rows, full and synchronized shoots and, consequently, "starting" growth and development of plants, ultimately - to increase crop yields. Thus, it is reasonable a comprehensive study of the technological processes of sugar beet growing with the development of models.

### **Analysis of Recent Research Results**

The technology of sugar beet cultivation includes such fundamental technological processes as early spring and autumn plowing, pre-sowing soil cultivation, sowing, growing, harvesting. As the analysis shows, the efficiency of these processes depends significantly on the agroclimatic conditions and the working tools of the machines, which ensure the execution of individual technological operations and constitute of a particular process. In this case, the decision-making is wholly based on previous experience and expert judgments [1, 2], technological operations are considered separately [3, 4], the parameters of the working tools are investigated experimentally under stringent constraints [5-7], the simulation is usually carried out with a large number of assumptions and is aimed at describing the physical processes on individual technological operations [8, 9].

The analysis of publications on the optimization of technological processes for the production of sugar beet leads to the formulation of the task of aggregate consideration of complex technological processes for sowing, growing, harvesting and processing of crops by mathematical models. In works [4, 10-14] separate technological processes are considered, and the choice of working tools of agricultural machines under difficult agroclimatic conditions is justified.

Research on the development and improvement of domestic technologies for growing and harvesting sugar beet are conducted in publications [6, 15]. The classification of harvesting machines and their working tools is carried out according to the conditions and methods of harvesting and given in [16, 17]. Experimental data and analytical dependencies of the technological process of pre-sowing tillage were obtained, the geometrical model of the working surface of a soil-working tool was proposed in [18]. Empirical regression models of the variation coefficient of stack placement were obtained depending on the speed of the sowing unit and the seed sowing rate in the seeding of the pneumatic and mechanical type, and production studies of seeders were conducted [19]. A mathematical model of the seed fall trajectory is presented in [20]. The basic principles of imitative statistical modeling of the technological process of sugar beet cultivation are developed and given in [21].

Among other cultivating field crops, sugar beets are most demanding in soil-climatic conditions, as well as in the working tools of machines which perform some complex technological processes for their cultivation and har-

vesting. Therefore, the production of sugar beet is determined by the level of intensive technologies used and the perfection of technical means at all stages from pre-sowing tillage and sowing of seeds in the spring until the beet harvesting in the autumn. The problem of choosing the most informative features of the technological process, developing system indicators and computational algorithm, taking into account the probabilistic nature of the operating conditions are poorly studied nowadays.

### **Purpose of Research**

The work aims to develop a simulation model of the interrelation between the main technological processes of sugar beet cultivation to assess the effectiveness of the technology as a whole.

### **Results of Research**

In this paper, the technological process of sugar beets cultivation as a single object of modeling is examined with the aim of investigating the interrelation of separate technological operations and evaluating the effectiveness of technological processes of sugar beet production.

Simulation modeling is a method of constructing a model of an existing or projected system and setting up experiments on a model. The components of the simulation model are the structure of the system, i.e., a set of element descriptions and connections between them; means of reproducing the behavior of the system. Such information as a whole has a logical-mathematical character and is represented in the form of algorithms set describing the dynamics of the system functioning.

The advantages of simulation modeling are that it is based on the methodology of system analysis. It allows carrying out studies of the projected or analyzed system according to the scheme of operational research. This scheme includes the following interrelated stages: a meaningful statement of the problem; development of a conceptual model; development and software implementation of the simulation model; checking the adequacy of the model and evaluating the accuracy of simulation results; planning experiments; making decisions. So, simulation modeling can be used as a universal approach for decision-making under uncertainty and for taking into account in the models of hard-to-formalize factors. Also, simulation modeling is applied the basic principles of the system approach in solving many application tasks, including the development of technical means and technological process of sugar beet production.

The technology of cultivation and harvesting of sugar beet includes some complex technological processes. For example, the preparation of the soil for sowing in the spring includes early springing and loosening of the plowland, which begins as soon as it becomes possible to enter the field, and the pre-sowing tillage is carried out immediately before sowing, and its beginning is determined by the degree of ripeness of the soil. Let's consider two main technological processes; they are pre-sowing soil cultiva-

tion and sowing. They largely determine the results of the entire technological chain.

Presowing tillage of the soil is carried out to a depth of 2-4 cm to destroy weeds and loosen the surface layer to create conditions for seed placement at the required depth and to produce even shoots.

Sowing with high-quality seeds in a well-treated soil at a given depth and regularly spaced distribution along a row in a favorable period ensures even shoots. Both processes are parts of the twin process.

Any technological process can be represented in the form of a multichannel multistage queuing system with repeated (reusable) service of requests. A large number of factors that need to be taken into account, the random nature of ongoing processes, as well as a large number of parameters and variables, makes it necessary to consider the technological process of sugar beet cultivation as a complex system. Analytical methods of queuing theory cannot be applied to such complex systems. Analytical methods of queuing theory are mainly limited to relatively simple single-channel and multichannel one-stage systems with steady-state service conditions and an exponential distribution of random variables. Thus, it is proposed to use means of directional simulation.

We now turn to the formalized description of technological processes as a complex queuing system, for which we distinguish two of its components:

1. The serviced system ( $SS_1$ ) is a heterogeneous flow of service requests. Each type of request is characterized by its parameters. The initial parameters for each technological operation are regulatory requirements, agroclimatic conditions, and so on. As a result of the processing (simulation of the technological operation), the request a number of characteristics is assigned describing the effect obtained (values of evaluation criteria, application parameters for the next process operation).

2. A service system ( $SS_2$ ) is a set of technical facilities that provide services for incoming requests. As is customary in the theory of queuing, technical means are called maintenance devices. Thus,  $SS_2$  consists of some maintenance devices that are characterized by their parameters. As such devices, the working tools and agricultural machines available for performing certain technological operations are considered. Each device is characterized by its own set of parameters, the values of which are determined as a result of the experiment.

We introduce the structure-parametric spaces  $U$  and  $G$ , each point of these spaces determines, accordingly,  $SS_1$  and  $SS_2$ . So, we can say that  $U$  is the destination space of the technological process, in which the structure and parameters of  $SS_1$  are determined, and each of its points is characterized by the following main indicators:

- many types of the requests;
- parameters of the  $j$ -th type of the request.

By analogy, under the space  $G$ , we mean the functional purpose space of the technological process, in which the structure and parameters of  $SS_2$  are determined, and the following main indicators characterize each of its points:

- a number of maintenance devices;
- parameters of the  $i$ -th device.

Let's assume that to each technological process there corresponds a partially ordered set  $P(g, u, \Omega, \bar{x})$  of re-

quest motion routes, where  $\Omega$  is the set of parameters describing interrelations of various types between separate elements. Partial ordering of routes is determined by the probabilistic parameters and the variables of the technological process. In the particular case,  $\Omega$  is a square matrix, which consists of zeros and ones, and determines the relationship between the service devices. All units above the main diagonal determine the possibility of switching from the  $i$ -th device to the  $j$ -th, and below the main diagonal - in the opposite direction.

The vector  $\bar{x} \in \bar{X}(g, u)$  consists of indicators that determine the discipline of service.  $\bar{X}(g, u)$  is a variety of options for service disciplines, which are formed by an expert. In turn, each type of request corresponds to some partially ordered subset of routes  $P_j \subseteq P(g, u, \Omega, \bar{x})$ .

Let's assume that to each service device (element)  $g_i$  or subsystem  $g_l$ , there corresponds in  $U$  some given hypersurface  $\Gamma_i(g^i, \bar{x}, u) = 0$ . Partitioning into separate subsystems is carried out based on pre-adopted principles and indicators. Such principles are as following the functional purpose of individual  $SS_2$  elements, the minimum effect of loading certain elements on others, and so on. Thus, we restrict the element (or subsystem) capacity:

$$\Gamma_i(g^i, \bar{x}, u) \leq 0, i \in M, \bar{x} \in \bar{X}(g, u) \quad (1)$$

In addition, we introduce the notion of hypersurfaces  $\Gamma_k^*(g^k, \bar{x}, u) = 0, k \in S$  that are integrally defined by the capacity or other indices of all or a subset of subsystems  $SS_2$ . By analogy, they correspond to a set of  $S$  constraints

$$\Gamma_k^*(g^k, \bar{x}, u) \leq 0, k \in S, \bar{x} \in \bar{X}(g, u) \quad (2)$$

As a result, a specific parametric domain  $D(g, \bar{x})$  with a parameter  $\bar{x} \in \bar{X}(g, u)$  is defined in the space  $U$ . It characterizes the set of variants  $SS_1$  that can be serviced by  $SS_2$ .

$$D(g, \bar{x}) = \left\{ u : \Gamma_i(g^i, \bar{x}, u) \leq 0, i \in M \right\} \quad (3)$$

$SS_2$  has the task to service the flow of requests based on the goals and objectives. Let's assume that such a goal is the vector  $V_o$ , which determines the planned indicators  $\varphi_o^d = \{\varphi_{oj}^d\}$  and completely coincides with some value of  $u \in U$ , because in this case, the planned area consists of one point. The  $j$ -th component  $\varphi_o^d$  can be the mathematical expectation of a random variable that determines the receipt of the  $j$ -th type requests in the system or another indicator, which characterize the  $SS_1$ .

Let  $g_0$  is the initial state of  $SS_2$ , and  $D_0(g_0, \bar{x})$  is a part in  $U$  and

$$V^0 \in D_0(g_0, \bar{x}) \exists \bar{x} \in \bar{X}_0^0(g_0, V^0) \quad (4)$$

Let  $\Pi(g_0, \bar{x}, V^0)$  is the program that simulates the technological process. We assume that the numerical value of the function characterizes the functioning of technical means

$$F_0 = F_0(g_0, \bar{x}, V^0) \quad (5)$$

In the case that condition (4) is not fulfilled, it is necessary to change the structure and parameters of  $SS_2$ . The function (5) is algorithmically defined and is deter-

mined by the simulation model of the technological process.

Let's consider the static formulation of the problem. It is necessary to determine the optimal composition (structure)  $g=(g_0,\delta)$  of technical means, the discipline of maintenance of the technological process.

All simulation models are models of the so-called black box type. This means that they provide the system's output if an input signal is given into interacting subsystems.

Playing samples by the Monte Carlo method [22] is the fundamental principle of modeling systems containing stochastic or probabilistic elements.

## Conclusions

1. When managing various technological processes, it is necessary to provide in real time the calculation and optimization of the regime, which, given the stochastic changes in the parameters of the technological process, are belong to permissible modes. Therefore, we have to focus on the most unfavorable combination of factors of uncertainty and use the strategy of the guaranteed result. Until now, the problem of mathematical modeling of discrete, weakly structured processes and systems characterized by a set of criteria, stochasticity, interval or unclear values of the source data (such as the technological process and technical means of sugar beet production) is almost unexplored.

2. Taking into account the difficulties of conducting a real experiment, which is necessary for obtaining the values of the criteria, the use of simulation modeling is proposed. Simulation is a research method in which the studied system is replaced by the constructed model. The model with sufficient accuracy describes the actual system, and experiments with it are carried out with the aim of obtaining information about this system.

3. Investigation of the technological process based on the simulation by determining and justifying the optimal parameters allows us to define the technological variables, their relationships, and interconnections, to highlight technical and economic indicators, and to evaluate the impact on sugar beet yields.

## References

1. Benini, A. P. (2017). The Use of Expert Judgment in Humanitarian Analysis – Theory, Methods, Applications. Geneva, Assessment Capacities Project - ACAPS.
2. Volokha, M. P. (2013). Principles for modelling technological processes of production of sugar storm-cov. Environmental biotechnology: electronic scientific journal of National aviation University. No. 2. Access mode. <http://ecobio.nau.edu.ua/index.php/ecobiotech/article/view/5503/6215>.
3. Karkoszka, T. (2017). Operational monitoring in the technological process in the aspect of occupational risk. Procedia Manufacturing. 13. 1463-1469.
4. Volokha, M. P. (2015). A study of the process of preparation of the soil for sowing sugar beet with modern units. Scientific Bulletin of National University of Bioresources and nature management of Ukraine. Series: electronics and energetics, agriculture. Vol. 226. 349-355.
5. Owodunni, O. O., Pinder, D. (2016). Sustainability Improvement in Milling Operation Through Improved Tool Design and Optimized Process Parameters-an Industrial Case Study. Procedia CIRP. 40. 498-503.
6. Roik, M. V., Volokha, M. P., Vojtyuk, P. O., Fursa, A. V. (2000). The efficiency of the mechanized technology of cultivation and harvesting of sugar beet. Bulletin of agricultural science. № 4. 43-46.
7. Volokha, M. P., Osyichuk V. S. (2014). Experimental study of the quality of the new surface of the screw kopacz root crops sugar storm. Bulletin of Engineering Academy of Ukraine. № 2. 149-152.
8. Zongrui Pei. (2018). DIST: A dislocation-simulation toolkit. Computer Physics Communications. In Press, Available online 3 July 2018.
9. Wafa Mefteh. (2018). Simulation-Based Design: Overview about related works. Mathematics and Computers in Simulation. Volume 152, October 2018. 81-97.
10. Yan Zhang, Pengbo Gao, Tofael Ahamed. (2018). Development of a rescue system for agricultural machinery operators using machine vision. Biosystems Engineering Volume 169. May 2018. 149-164.
11. Hafezalkotob, A. (2018). A decision support system for agricultural machines and equipment selection: A case study on olive harvester machines. Ashkan Hafezalkotob, Aida Hami-Dindar, Naghmeh Rabie, Arian Hafezalkotob. Computers and Electronics in Agriculture, Volume 148, May 2018. 207-216.
12. Borja Espejo-Garcia, Jorge Martinez-Guanter, Manuel Pérez-Ruiz, Francisco J. Lopez-Pellicer, F. Javier Zarazaga-Soria. (2018). Machine learning for automatic rule classification of agricultural regulations: A case study in Spain. Computers and Electronics in Agriculture. Volume 150. July 2018. 343-352.
13. Volokha, M. P. (2016). Effect of operational and technological factors in the precision sowing of sugar beet. Scientific reports NULES. № 3(60). <http://journals.nubip.edu.ua/index.php/Dopovid/ article/view/6847>.
14. Volokha, M. P., Doroshenko, Yu. O. (2016). The study of the process of sowing beet sugar-planters of the pneumatic type. Scientific reports NULES. № 6(63). <http://journals.nubip.edu.ua/index.php/Dopovid/ article/view/7564>.
15. Volokha, M. P., Balan, V. M. (2017). The manufacturing inspection technology of cultivation of sugar beet on the basis of domestic cars, aggregated with the row crop tractors. XVIII international on-okova conference "Modern problems of agricultural mechanics" dedicated to the 117th anniversary of the birthday of academician Petr V. M. Vasilenko, 16-18 October 2017. Kamenetz Podolsky.42-45.
16. Volokha, M. P., Vojtyuk, P. O., Grechko, V. V. (2001). Machine software Valkova technology of harvesting sugar beets. Technical and technological aspects of the development and testing of new equipment and technologies for agriculture of Ukraine. Research. UkrNDPVF named after Leonid Pogorelyi. Vol. 4 (18). 59-67.
17. Volokha, M. P. (2014). Bridging multicriteria in the simulation of technological processes of cultivation of

- sugar beet. Technical and technological aspects of the development and testing of new equipment and technologies for agriculture of Ukraine. Research UkrNDPVF named after Leonid Pogorelyi. Vol. 18 (32), Issue. 2. 237-243.
18. Yurchuk, V. P., Volokha, M. P., Volokha, V. M. (2005). Analysis of the geometrical models of the working surfaces of grinders kienesberger machines. Works of Tavria State Agrotechnical Academy. Melitopol: TDAT, Vol. 4, t. 30. 41-46.
  19. Volokha, M. P. (2018). To create agent-based simulation model of the technological process of seedbed preparation and sowing of sugar beet. Engineering and technology APK. № 7. 8-11.
  20. Volokha, M. P. (2018). Algorithmic description of the dual of technological process of preparation of soil and sowing of sugar beet. Engineering and technology APK. № 8. 17-21.
  21. Volokha M., Boldyrieva L. (2014). Simulation technology of sugar beet. Bulletin of the National Aviation University. Vol. 61. № 4. 133-139.
  22. Frenkel Daan. (2004). Introduction to Monte Carlo Methods. NIC Series, Vol. 23. 29-60.

### Список літератури

1. Benini A. P. The Use of Expert Judgment in Humanitarian Analysis – Theory, Methods, Applications. Geneva, Assessment Capacities Project - ACAPS. 2017.
2. Волоха М. П. Принципи моделювання технологічних процесів виробництва цукрових буряків. Проблеми екологічної біотехнології: електронний науковий журнал Національного авіаційного університету. № 2. 2013. Режим доступу: <http://ecobio.nau.edu.ua/index.php/ecobiotech/article/view/5503/6215>.
3. Karkoszka T. Operational monitoring in the technological process in the aspect of occupational risk. Procedia Manufacturing. 2017. 13. P. 1463–1469.
4. Волоха М. П. Дослідження технологічного процесу підготовки ґрунту до сівби буряків цукрових сучасними агрегатами. Науковий вісник Національного університету біоресурсів і природокористування України. Серія: техніка та енергетика АПК. 2015. Вип. 226. С. 349–355.
5. Owodunni, O. O., Pinder, D. Sustainability Improvement in Milling Operation Through Improved Tool Design and Optimized Process Parameters-an Industrial Case Study. Procedia CIRP. 2016. 40. P. 498–503.
6. Roik M. B. Волоха М. П., Войтюк П. О., Фурса А. В. Ефективність механізованих технологій вирошування та збирання цукрових буряків. Вісник аграрної науки. 2000. № 4. С. 43–46.
7. Волоха М. П., Остійчук В. С. Експериментальні дослідження якості роботи нової поверхні шнека копача коренезбиральних машин. Праці Таврійської державної агротехнічної академії. Мелітополь: ТДАТА, 2005. Вип. 4, т. 30. С. 149–152.
8. Zongrui Pei. DIST: A dislocation-simulation toolkit. Computer Physics Communications. In Press, Available online 3 July 2018. 2018.
9. Wafa Mefteh. Simulation-Based Design: Overview about related works. Mathematics and Computers in Simulation. Volume 152, October 2018. 2018. P. 81–97.
10. Yan Zhang, Pengbo Gao, Tofael Ahamed. Development of a rescue system for agricultural machinery operators using machine vision. Biosystems Engineering Volume 169. May 2018. 2018. P. 149–164.
11. Hafezalkotob A. A decision support system for agricultural machines and equipment selection: A case study on olive harvester machines. Ashkan Hafezalkotob, Aida Hami-Dindar, Naghmeh Rabie, Arian Hafezalkotob. Computers and Electronics in Agriculture, Volume 148, May 2018. 2018. P. 207–216.
12. Borja Espejo-Garcia, Jorge Martinez-Guanter, Manuel Pérez-Ruiz, Francisco J. Lopez-Pellicer, F. Javier Zarazaga-Soria. Machine learning for automatic rule classification of agricultural regulations: A case study in Spain. Computers and Electronics in Agriculture. Volume 150. July 2018. 2018. P. 343–352.
13. Волоха М. П. Вплив експлуатаційно-технологічних факторів на точність сівби буряків цукрових. Наукові доповіді НУБІП України. 2016. № 3(60). Режим доступу: <http://journals.nubip.edu.ua/index.php/Dopovidi/article/view/6847>.
14. Волоха М. П., Дорошенко Ю. О. Дослідження процесу висіву насіння буряка цукрового сівалками пневматичного типу. Наукові доповіді НУБІП України. 2016. № 6(63). Режим доступу: <http://journals.nubip.edu.ua/index.php/Dopovidi/article/view/7564>.
15. Волоха М. П., Балан В. М. Виробнича перевірка технології вирощування буряків цукрових на базі вітчизняних машин, агрегатованих з просапними тракторами ХТЗ. XVIII Міжнародна наукова конференція «Сучасні проблеми землеробської механіки», присвячена 117-річниці з дня народження академіка Петра Мефодійовича Василенка, 16–18 жовтня 2017 рік. Кам'янець Подільський. 2017. С. 42–45.
16. Волоха М. П., Войтюк П. В., Гречка В. В. Машинне забезпечення валкової технології збирання цукрових буряків. Техніко-технологічні аспекти розвитку та випробування нової техніки і технологій для сільського господарства України. Дослідницьке. УкраїНДПВТ імені Леоніда Погорілого. 2001. Вип. 4 (18). С. 59–67.
17. Волоха М. П. Подолання багатокритеріальності при моделюванні технологічних процесів вирошування цукрових буряків. Техніко-технологічні аспекти розвитку та випробування нової техніки і технологій для сільського господарства України. Дослідницьке: УкраїНДПВТ імені Леоніда Погорілого. 2014. Вип. 18 (32), кн. 2. С. 237–243.
18. Юрчук В. П., Волоха М. П., Волоха В. М. Аналіз геометричних моделей робочих поверхонь копачів коренезбиральних машин. Праці Таврійської державної агротехнічної академії. Мелітополь: ТДАТА, 2005. Вип. 4, т. 30. С. 41–46.
19. Волоха М. До створення агентно-імітаційної моделі технологічного процесу передпосівного обробітку ґрунту і сівби буряків цукрових. Техніка і технології АПК. 2018. № 7. С. 8–11.
20. Волоха М. Алгоритмічний опис двоєдиного технологічного процесу підготовки ґрунту і сівби буряків цукрових. Техніка і технології АПК. 2018. № 8. С. 17–21.

21. Volokha M., Boldyrieva L. Simulation technology of sugar beet. Вісник Національного авіаційного університету. 2014. Т. 61. № 4. С. 133–139.

22. Frenkel Daan. Introduction to Monte Carlo Methods. NIC Series, 2004. Vol. 23. P. 29–60.

**АНАЛІЗ ТЕХНОЛОГІЧНОЇ ЕФЕКТИВНОСТІ  
ПРОЦЕСУ ОБРОБІТКУ ЦУКРОВИХ БУРЯКІВ  
НА ОСНОВІ МЕТОДУ МОДЕЛЮВАННЯ**

*M. П. Волоха*

**Анотація.** У статті розглядається технологічний процес вирощування цукрових буряків як єдиний об'єкт моделювання. Мета дослідження-вивчити взаємозв'язок окремих технологічних операцій і оцінки технологічної ефективності вирощування цукрових буряків. Вивчення технологічних процесів на основі імітаційного моделювання дозволяє досліджувати взаємозв'язки, виділити техніко-економічних показників, оцінити вплив на рентабельність, визначити напрямки розвитку та шляхи вдосконалення технологічної і технологічної основи виробництва цукрових буряків.

**Ключові слова:** цукрові буряки, технологічний процес, технічні засоби, моделювання, передпосівної обробки ґрунту.

**АНАЛИЗ ТЕХНОЛОГИЧЕСКОЙ  
ЭФФЕКТИВНОСТИ ПРОЦЕССА ВОЗДЕЛЬВАНИЯ  
САХАРНОЙ СВЕКЛЫ НА ОСНОВЕ МЕТОДА  
МОДЕЛИРОВАНИЯ**

*M. П. Волоха*

**Аннотация.** В статье рассматривается технологический процесс выращивания сахарной свеклы как единый объект моделирования. Цель исследования - изучить взаимосвязь отдельных технологических операций и оценки технологической эффективности выращивания сахарной свеклы. Изучение технологических процессов на основе имитационного моделирования позволяет исследовать взаимосвязи, выделить технико-экономических показателей, оценить влияние на рентабельность, определить направления развития и пути совершенствования технической и технологической основы производства сахарной свеклы.

**Ключевые слова:** сахарная свекла, технологический процесс, технические средства, моделирование, предпосевной обработки почвы.